

VENETIAN BLIND



Roxyglass


VENETIAN BLIND

By ROXYGLASS



In Roxyglass system, the blind (venetian, pleated or roller) is encapsulated within two or three glass panes, i.e. in an insulating glass unit


The movement of blind, for manual or motorised system, does not compromise the insulating properties of the insulating glazing unit and is performed in a totally sealed environment. The exclusive Roxyglass Blind System characteristics ensure total protection against dirt, dust or weather conditions, and therefore blinds do not require any maintenance. The magnetic components have an almost indefinite life cycle having a loss of magnetic attraction of around 2% per 100 years. The wide product choice and versatility of operation make Roxyglass blind system suitable for all types of framing systems.



8 very good reasons to choose Roxyglass Blind

- Clean for life
- No risk of damage
- Long life
- Maintenance free
- Excellent light and solar control characteristics
- Durable components
- Guarantess privacy
- Linear design allows greater use of internal area

colour combinations



GREY



WHITE



SILVER



HAZELNUT

Max Size : 120 cm X 260 cm

Roxyglass

Office

Jl. Tomang Raya No. 40B, Jakarta 11430, Indonesia
+62 21 633 24 68, sales@roxyglass.com

Showroom

Jakarta Design Center, 2nd floor suite SR08-09, Slipi, Jakarta 10260, Indonesia
+62 21 574 23 77, jdc@roxyglass.com

www.roxyglass.com